

Work Order ID 142715

Monday, March 21, 2016 11:40:17 AM

142715

Page 1

Item ID: D4021-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Handle Plate

Start Date: 4/26/2016 Start Qty: 14.00

14

Cust Item ID:


Required Date: 4/27/2016 Req'd Qty: 14.00

14

Customer:

Reference:

Approvals:

Process Plan: 

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4021	B								

105

0.00

105

Purchasing

Purchasing

Memo

ISSUE PO 31764
CUT PER DRWG D4021 REV.B

0.00

14 MAR 21 2016 **DAS**
13
9-89

115

Receive & Inspect for Damage & Mat'l Certs

0.00

115

Packaging

Packaging

Memo

0.00

14x SP 16-01-01

125

QC5- Inspect part completeness to step on W/O

0.00

125

QC

Quality Control

Memo

0.00

(14) **DAS**
38
9-89

APR 04 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 142715***142715***

Page 2

Monday, March 21, 2016 11:40:17 AM

Item ID: D4021-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Handle Plate

Start Date: 4/26/2016 Start Qty: 14.00

14

Cust Item ID:

Required Date: 4/27/2016 Req'd Qty: 14.00

14

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	Identify as per dwg & Stock Location: _____	0.00							
140									
Packaging	Memo	0.00							DAS
Packaging	LOCATION: WA004								6
									8:09
150	QC21- Final Inspection - Work Order Release	0.00							
150									
QC	Memo	0.02							MCS APR 06 2016
Quality Control									

APR 06 2016

MCS

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : ☐			
Misidentified ☐		Past Due ☐					

Picklist Print

Monday, March 21, 2016 11:40:16 AM

Page 1

Work Order ID: 142715

142715

Parent Item: D4021-1

D4021-1

Parent Item Name: Handle Plate

Start Date: 4/26/2016

Required Date: 4/27/2016

Start Qty: 14.00

Required Qty: 14.00

Comments: IPP RevA: new issue DD 09.11.25 verified by:EC IPP Rev:B as
per dwg REV.A DD 10.02.22 verified by:EC IPP Rev:C as per dwg revB
DD 10.04.20 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4021-1P		Purchased	No				Each	0.0000		14			
D4021-1P									**				
Handle Plate													
M304S11GA		Purchased	No			100	sf	121.7250	0.1225	1.805264			
M304S11GA									**				
304/316 0.125 Sheet													

Location

Loc Qty

Loc Code

MAT020

121.72498

M129545

24.82498

M129972

21.7

M134284

75.2

****** 14x SP16-a-d
****** APR 01 2016 **SAS 13**

M134604

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval			
Root Cause		FAULT CATEGORY									
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____									
Misidentified ☐	Past Due ☐										


8 7 6 5 4 3 2 1




D4021-1 HANDLE PLATE




D4021-3 DATA PLATE




D4021-5 BLANKING PLATE



D4021-11 INSTRUCTIONS PLATE



D4021-7 HOOP



D4021-9 BUSHING


STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

142715 MJS
16-03-14


RELEASED
2010-04-14

B	POWDER COAT SPEC ADDED TO NOTE 2 (A8-2)	JPH	10.04.06
A	NEW ISSUE	JPH	10.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4021	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MISC PARTS - 350 BASKET	NTS
DATE	10.04.06	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1




D4021-1 HANDLE PLATE




D4021-3 DATA PLATE
MAKE FROM D4021-3F



D4021-5 BLANKING PLATE



D4021-11 INSTRUCTIONS PLATE



D4021-3F DATA PLATE
FLAT PATTERN



RELEASED
R 2010-04-16
NIP

NOTES:

- 1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S11GA
- 3F: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S20GA
- 5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M303S16GA OR M304S16GA
- 11: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S22GA

- 2) FINISH: -1/-3/-11: NONE
- 5: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT -1: 0.18 lbs -3: 0.35 lbs
- 5: 0.14 lbs -11: 0.39 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4021	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MISC PARTS - 350 BASKET	NTS
DATE	10.04.06	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4021-9 BUSHING

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT -7: 0.80 lbs
 -9: 0.02 lbs

RELEASE
2010-04-14

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4021 TITLE MISC PARTS - 350 BASKET COPYRIGHT © 2016 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRINTED ON RECYCLED PAPER. THE EXPOSED COMPONENT THAT IT IS NOT BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	REV. B
DRAWN	JPH		SHEET 3 OF 3
CHECKED	<i>[Signature]</i>		SCALE
MFG. APPR.	<i>[Signature]</i>		NTS
APPROVED	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>		
DATE	10.04.06		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31764

Purchase Order Date 3/21/2016

PO Print Date 3/21/2016

Page Number 8 of 11

Order From :
TPI INDUSTRIES INC.
148 RUE GOODFELLOW
DELSON, QUEBEC J5B 1V4
CANADA

VC-TPI001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 450-633-0484

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Line Total: \$276.00

19 D4021-1P Handle Plate / 4/6/2016
Yes
4/6/2016

14.00
Each

\$4.20 \$58.80

CUT AS PER DWG D4021 REV. B
B142715
MATERIAL 304 SHEET 11 GA

Sp 16 add

Line Total: \$58.80

20 D4148-1P ✓ Crosstube Lug Plate, Fwd 4/6/2016
Yes
4/6/2016

FN 44.00
Each

\$19.00 \$836.00

CUT AS PER DWG D4148 REV. E
B142669 X 20 PCS
B142817 X 24 PCS
MATERIAL 304 SHEET 11 GA

Sp 16 add

Line Total: \$836.00

Note:

3/21/2016

T.P.I. INDUSTRIES INC.

148 GOODFELLOW
DELSON, QUÉBEC J5B 1V4
CANADA
Tel: (450) 633-0484
Fax: (450) 633-0879

Packing Slip

Packing Slip No.: 7436
Date: 2016-03-29
Page: 1

Sold to:

Dart Aerospace

Chantal Lavoie
1270 Aberdeen
Hawkesbury, Ontario K6A 1K7
Canada

Ship to:

Dart Aerospace
Chantal Lavoie
1270 Aberdeen
Hawkesbury, Ontario K6A 1K7
Canada

Order No.: 31764

Sold By: JONATHAN LESSARD

Shipped By:

Ship Date: 2016-03-30

Tracking No.:

Item No	Unit	Description	Quantity
D2281 ✓		jack saddle ✓	80 ✓
D2585 ✓		latch clamp ✓	65 ✓
D3637-041 ✓		bracket assy ✓	12 ✓
D4060-1 ✓		ski clamp ✓	132 ✓
D4176-1 ✓		429 clamp ✓	8 ✓
d2232-3 ✓	Chaque	d2232-3 basket hinge ✓	15 ✓
d2581 ✓		mounting bracket ✓	68 ✓
D3191-1 → DB 98-1 ✓		fitting ✓	10 ✓
D3405-041 ✓		ground handling lug ✓	32 ✓
D3405-043 ✓		ground handling lug ✓	6 ✓
d3561-1 ✓	Chaque	d3561-1 seal insert tool ✓	6 ✓
d3912-5 ✓	Chaque	d3912-5 eyebolt plate ✓	30 ✓
d4021-1 ✓	Chaque	d4021-1 handle plate ✓	14 ✓
d4148-1 ✓	Chaque	d4148-1 crosstube lug plate fwd ✓	44 ✓
d4149-1 ✓	Chaque	d4149-1 crosstube lug plate aft ✓	20 ✓
d4150-3 ✓	Chaque	d4150-3 arm plate ✓	8 ✓
d4151-1 ✓	Chaque	d4151-1 lower hardpoint plate ✓	40 ✓
d4151-3 ✓	Chaque	d4151-3 upper hardpoint plate ✓	42 ✓

Comment: Net / 30 from date of invoice 2% svc. chg. on invoices over 30 days

SP16-01-01

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
 .1200 Nom X 48.0000" X 96.0000"
 PART NO.

PO/Rel 31741

We certify that this is a true copy of the report
 furnished by the producer of the metal, or data
 resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-983229-002

21Mar16

Pg 1/1



METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
 740 Imperial Road North
 Guelph, ON N1K1Z3
 Canada

740 Imperial Road North

Certificate: 117938 1

Mail To:

THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Customer: 007206 001

Ship To:

THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Date: 11/26/2015 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/14;180Bend-OK

Your Order: PEC271093

NAS Order: WN 0072789 07

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
 ASTM A240/15a,A480/14b,A666/15;ASME SA240/13,SA480/13,SA666/13
 CHEM ONLY ON FOLLOWING ASTM: A276/13,A479/13a,A484/13a,A312/13
 CHEM ONLY ON FOLLOWING ASME: SA312/13,SA479/13
 AMS 5511H/5513J XMRK; MIL-5059D AMD3(X CRN MEAS); MIL-4043B
 NACE MR0175/ISO 15156-3:2009 A, MR0103/07;QOS766D-A X MAG PERM
 MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
 EN 10204:2004 3.1; RoHS 1 & 2 Compliant
 Material is Free of Radioactive Contamination
 Steel Making Process: EAF, AOD, & Cont. Casting
 Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
 *Melted & Manufactured in the USA; Mat'l is DFARS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02X2A3 DA	02X2A3 D		.1163	48.0000	4,970	SHEETS	096.00	32	

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08

HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
X2A3	US	.0270	18.2380	.3950	1.7650	.3735	.0830	8.0045	.0340	.0010
SI %										
.2375										

MECHANICAL PROPERTIES

Product Id#	Coil #	UTS	20C .2% VS	20C ELONG	% Hard	Tail Hard
		KSI	KSI	%-2"	RB	
02X2A3 DA	02X2A3 D	F T 92.66	44.92	51.32	86.00	87.00

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
 Dept. Mgr.

ABHIJEET BHAVE 11/26/2015

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
.0750 Nom X 48.0000" X 120.0000"
PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Pg 1/1

Signed by:



No.600,Xinglong St., Jiaxing Yi., Gangshan Dist.,
Kaohsiung City 82057, Taiwan (R.O.C)

Specification/Steel Grade : DIN EN 10028-7 1.4301/1.4307-C
Surface Finish : No. 2B

1. We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. The material described above has been detected with free irradiation.
3. NUCON has established a QMS according to ISO 9001 which is certified by DNY CERT (reg.-no.0058-2002-XQ-PGC-K11)
4. Inspection and gauge measurement: Satisfactory
5. The report can only be reproduced in full.
6. This certificate complies to 3.1/DIN EN 10204:2005.
7. The tests including "Tensile Test", "Intergranular Attack" (I.A. TEST) have been accredited by A2LA TESTING CERT #0958.02).

Manager of Quality Assurance Department

F. A. Hudson

JA-A-91